Casino has gained a leading edge in the French food retail trade, over 10,000 stores around the world. Devoted to your service in France with its <u>Géant</u>, <u>Casino Supermarché</u>, <u>Casino Cafétéria</u>, <u>Monoprix</u>, <u>Franprix/Leader Price</u> chains as well as its <u>convenience stores</u>, the Casino Group goes out even further with its outlets in <u>Argentina</u>, <u>Uruguay</u>, <u>Venezuela</u>, <u>Brazil</u>, <u>Colombia</u>, <u>Thailand</u>, Africa, the <u>indian ocean</u>, <u>Netherlands</u>, <u>Viet-Nam</u>...). Please visit our web site to know more about us...(http://www.groupe-casino.fr/accueil/index.php?&lang=en)

France market (Casino / C-Discount / Monoprix / Leader Price)

Being Casino's business partners, all potential suppliers must agree with our business and sign the business contract - **EMC BAZZAR CHART 2009.07**, which requires all suppliers to :

- Fill the supplier + factory profile
- Sign with company chop on right bottom corner of all 36 pages, then send original copy by courier to EMC HK office.

France Trade term

- Casino France: LC 60/90 days
- Price is the same for LCL and FCL. FCR instead of B/L to be submitted for LC negotiation
- Price must be valid for minimum 6 months from the date of quotation
- All sample charges and courier charges are included in the quotation

France Quality Requirement

- LVD+EMF certificate and test report with latest directives (issued within two years to ETD date)
- LVD with latest A12:2007 of EN60335-2-9:2003
- EMC certificate and report (issued within two years to ETD date)
- French food contact report, DGCCRF (issued within 1 years to ETD date), don't accept LFGB.
- ErP report (issued within two years to ETD date)
- RoHS survey report (issued within one year to ETD date), don't accept component ROHS report.
- REACH self-declaration form (excel + pdf/jpg with company chop and authorized signature)
- All test reports must be issued by acceptable laboratories by Casino
- Factory must be approved by Casino's or Casino appointed auditor
- Drop Test for master carton (as per last two page in this document)

France Quality Approval Process

- Pre-CC test
- Pre-shipment inspection
- After Pre-CC test
- Noted: All test fee / inspection fee will be absorbed by Casino for the 1st time being. While for any re-inspection / re-test, it will be absorbed by supplier.

Factory approval process

• Done by Casino. Factory audit result with Grade "B" or above will be treated as approval manufacturer

<u>PSI (Pre-shipment inspection) + After CC (Construction check after production)</u>

- Factories arrange inspection date with BV 5 weeks in advance to CRD stated on LC
- Goods must be 100% completed production and 100% packed in final packaging before PSI date
- Inspection sampling Level & Rate: Single / Normal / General Level II, S-3 / Drop Test by BV
- AQL: Critical Defective: 0; Major Defective 1.5; Minor Defective: 4.0
- BV seals 4-5 pcs samples from inspected lot.
- Factories deliver BV sealed samples to **BV HK for LVD critical test**
- Casino France will be responsible for BV test for only first time of Pre-CC, PSI and After CC Test.
- If PSI or After CC result is FAILED, supplier should bear all re PSI fee, re-After CC cost, and possible Express Service charged by BV (LCIE HK)

Shipment release

- After both PSI result and After CC result are PASS, QUALITY AGREEMENT will be confirmed by email.
- Shipment can be arranged once QUALITY AGREEMENT and SHIPPING ORDER are released.
- Suppliers arrange shipment and send shipment information to Casino HK office Logistic Department
- 1 pc Shipment sample to be delivered to EMC HK office right after PSI is PASS in FIRST order.

Gift box

- France and English feature translation to be provided by supplier, suppliers arrange the GB artwork for EMC's approval.
- Design done by France side.

I/M

- French I/M translation to be provided by supplier, Casino proceed the artwork upon rec'd French IM
- You can check with our appointed translator : Data Source Mar for translation cost.

BV contact and charges

Pre-CC / After-CC / Full LVD test & quotation (By BV)

Miss Angel Chan

必維國際檢驗集團 電子電氣部 Bureau Veritas Electrical & Electronic Products

Room 1210E, Vanta Industrial Centre, 21-33 Tai Lin Pai Road, Kwai Chung, N.T., Hong Kong

Tel: +852-2494 4677Fax: +852-24260613 Email: angel-kl.chan@hk.bureauveritas.com

Web: www.bureauveritas.cn/cps (CHN) | www.bureauveritas.com/cps (Global)

Pre-CC / After-CC / Full LVD test & quotation (By Dekra-Kema, Food processing items only)

Tanya PANG & Susanna LAW

Unit 1-14, 6/F., Fuk Shing Commercial Building,

28 On Lok Mun Street, On Lok Tsuen, Fanling, Hong Kong

香港新界粉嶺安樂村安樂門街 28 號福成商業大廈 6 樓 1-14 室

PSI booking & quotation (By BV)

Email: booking cpsi@cn.bureauveritas.com

Rm#301, 3/F, South Tower, Huale Building, No. 55-57, Huale Road, Yuexiu District, Guangzhou 510060,

PRC

BV IAA 广州分公司新地址:广州市越秀区华乐路 55-57 号华乐大厦南塔三楼 301 室

Official translation for French language

Margarita Ng Project Coordinator - Translation Department

Email:margarita@datasourcegroup.com

DataSource International Ltd.

Room A, 16/F Heng Shan Centre, 145, Queen's Road East, Wanchai, Hong Kong

Tel: +852 2866 2010 Fax: +852 2866 2113 Translation Department (direct): +852 3741 1623

Website: www.datasourcegroup.com

Drop Test Method

Before the drop test, the pieces in the test packaging must free of defects.


- Transportation outer carton: for carton packing quantity over 12 pieces, at least 12 pieces should be
 placed at the corner which will be used for the first drop (sequence #1). All pieces must free of
 defects.
- Individual unit packaging: the test unit must free of defects.

For transportation outer carton (refer ISTA 1A)

Test height

Packaged –Product Weight				Drop height	
Equal to greater than		But less than		Free fall	
lb	Kg	lb	kg	in	mm
0	0	21	9.5	30	760
21	9.5	41	18.6	24	610
41	18.6	61	27.7	18	460
61	27.7	100	45.3	12	310
100	45.3	150	68	8	200

Identify the Orientation of Carton



Test Sequence

Follow the sequence in the table as below:

Sequence#	Orientation	Specific face, edge or corner	
1	Corner	Most fragile face 3 coner (the joint edge coner), if not know, test 2-	
2	Edge	Shortest edge radiating from the corner tested	
3	Edge	Next lonest edge raiating from the corner tested	
4	Edge	Longest edge raiating from corner tested	
5	Face	One of the samllest faces	
6	Face	Opposite small face	
7	Face	One of the medium faces	
8	Face	Opposite medium face	
9	Face	One of the largest faces	
10	Face	Opposite large face	

Table 3 - Define the drop sequence from corner, edge to facce

顺序	定位	测试位置具体描述
1	角	面 2-3-5 相交的角
2	边	由面 2-3-5 相交角延伸的最短边
3	边	由面 2-3-5 相交角延伸的第二长边
4	边	由面 2-3-5 相交角延伸的最长边
5	ĪŪ	最小面之一
6	面	最小面的相对面
7	酺	第二大面之一
8	面	第二大面的相对面
9	ĪŪ	最大面之一
10	面	最大面的相对面

- 3. The check points after the export carton drop test are ;
- * Check for any damaged on the housing of the unit (the export pack and Gift box may have a little bit damage are normal)
- * Check again the Hi-pot and Earth continuity...safety test no any break down after the drop test.
- * The unit can switch on and in normal functioning.